

BEST AVAILABLE COPY

DICTIONARY OF
APPLIED MATH
FOR
ENGINEERS
AND SCIENTISTS

BEST AVAILABLE COPY

QA5
.D49835
2003

Library of Congress Cataloging-in-Publication Data

Dictionary of applied math for engineers and scientists/ edited by Emma Previato.

p. cm.

ISBN 1-58488-053-8

1. Mathematics—Dictionaries. I. Previato, Emma.

QA5 .D49835 2002

510'.3—dc21

2002074025

This book contains information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. A wide variety of references are listed. Reasonable efforts have been made to publish reliable data and information, but the authors and the publisher cannot assume responsibility for the validity of all materials or for the consequences of their use.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming, and recording, or by any information storage or retrieval system, without prior permission in writing from the publisher.

All rights reserved. Authorization to photocopy items for internal or personal use, or the personal or internal use of specific clients, may be granted by CRC Press LLC, provided that \$1.50 per page photocopied is paid directly to Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923 USA. The fee code for users of the Transactional Reporting Service is ISBN 1-58488-053-8/03/\$0.00+\$1.50. The fee is subject to change without notice. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

The consent of CRC Press LLC does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific permission must be obtained in writing from CRC Press LLC for such copying.

Direct all inquiries to CRC Press LLC, 2000 N.W. Corporate Blvd., Boca Raton, Florida 33431.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation, without intent to infringe.

Visit the CRC Press Web site at www.crcpress.com

© 2003 by CRC Press LLC


No claim to original U.S. Government works

International Standard Book Number 1-58488-053-8

Library of Congress Card Number 2002074025

Printed in the United States of America 1 2 3 4 5 6 7 8 9 0

Printed on acid-free paper



simplicial subdivision Given a simplex, S , its *simplicial subdivision* is a collection of simplices, say $\{T_i\}$ such that $\bigcup_i \{T_i\} = S$ and for any i and j , either the intersection $T_i \cap T_j$ is empty or equals the closure of a common face. The *mesh* of the subdivision is the diameter of the largest subsimplex. This arises in a fixed point approach to compute an economic equilibrium.

simulated annealing An algorithm for solving hard problems, notably combinatorial optimization, based on the metaphor of how annealing works: *reach a minimum energy state upon cooling a substance, but not too quickly in order to avoid reaching an undesirable final state*. As a heuristic search, it allows a non-improving move to a *neighbor* with a probability that decreases over time. The rate of this decrease is determined by the *cooling schedule*, often just a parameter used in an exponential decay (in keeping with the thermodynamic metaphor). With some (mild) assumptions about the cooling schedule, this will converge in probability to a global optimum.

sine The function

$$\sin(x) = \frac{e^{ix} - e^{-ix}}{2i}$$

Geometrically, it is the ratio of the lengths of opposite side to hypotenuse of a right triangle with an angle x , for $0 < x < \frac{\pi}{2}$.

singleton node A node of degree one. Synonymous with *pendant node*.

sinistralateral The set of obligatorily coreacting species arbitrarily written on the left-hand side of a formal reaction equation.

Comment: See *dextralateral* for explanatory comments. See also *direction*, *dynamic equilibrium*, *formal reaction equation*, *microscopic reversibility*, *product*, *rate constant*, *reversibility*, and *substrate*.

skew symmetric matrix (A) A is square and $A' = -A$.

slack variable In an inequality constraint of the form $g(x) \leq b$, the slack is $b - g(x)$, which is designated by the slack variable, s . Then, the original constraint is equivalent to the defining equation, $g(x) + s = b$, plus $s \geq 0$.

Slater's (interiority) condition Originally for the purely inequality system with g convex, it means there exists x for which $g(x) < 0$. More generally, for a mathematical program in standard form, it means there exists x in X for which $g(x) < 0$ and $h(x) = 0$.

slope Of a nonvertical straight line with equation $y = mx + b$ is by definition the number m .

smetic state See *liquid-crystal transitions* and *mesomorphic phase*.

smooth Referring to a continuously differentiable function.

solitons There are types of wave equations called *soliton type equations* that admit special *solitary wave solutions* called *solitons*. These *solitons* have the following property: suppose two *solitons* are moving left to right, well separated with the smaller one to the right. After some time the bigger one catches up, the waves overlap and interact. Still later the bigger wave separates from the smaller one, and eventually regains its initial shape and velocity. The only effect of the interaction is a phase shift.

Example: The Korteweg-deVries equation has *solitons* of the form

$$u = 2k^2 \operatorname{sech}^2 k(x - 4k^2 t - x_0), k, x_0 \text{ constants.}$$

spanning tree (problem) A subgraph that is a tree containing all nodes. The *max weight spanning tree problem* is to find a *spanning tree* such that the sum of (given, positive) weights of the *edges* is a maximum.

The max spanning tree problem is solvable by the following greedy algorithm:

Input. Connected graph with weights, $w_1 \geq \dots \geq w_m$.

Output. Maximum weight spanning tree, T .

(i.) *Initialization:* Set $k = 1$; $T =$ graph with given nodes and no edges.

(ii.) *Iteration (until $k = m - 1$):* Test if the k th edge forms a cycle with T . If not, add it to T ; if so, discard the edge. In either case, increment k and iterate.